



### Pelican Super Sabrelite

- Uses 3 "C" alkaline batteries
- Watertight to 500 ft.
- Peak beam candlepower 12,000
- Unbreakable ABS body with polycarbonate lens
- Length: almost 8" long

Colors: black, orange and yellow  
Order#: 6237

### Pelican Super Pelilite

- Uses 2 "C" alkaline batteries
- Water resistant
- Peak beam candlepower 10,000
- Unbreakable ABS body with polycarbonate lens
- Thermoplastic rubber shroud
- Length: 6" long

Colors: black, orange and yellow  
Order#: 8469 – Black saddle no longer available

*Check out page 21 for PFD lights, strobes and markers.*



### NiteRider NR-600 Dive Light

- 6V rechargeable NiCad battery and lamp dimmer control
- Single light head with 15 watt, 10" spot lamp

Order#: 6920  
 Order#: 6921 – Hard Shell Helmet Mount  
 Order#: 6922 – MK II Full Face Mask Mount  
 Order#: 6923 – Superlight 17/27 Light Mount  
 Order#: 6924 – EX0-26 Full Face Mask Mount

### NiteRider NR-4000 Dive Light

- 13.2V large rechargeable NiCad battery and lamp dimmer control
- Dual light head with 12 watt, 10" spot and 20 watt, 17" flood lamps

Order#: 6925



### Emergency Strobe



### Pelican Tracker Light

- Non-submersible
- Hat and clothing clip
- Molded in snap hook
- Stainless steel key ring
- Requires 2 "AAA" alkaline batt. (incl.)

Color: yellow  
Order#: 6327

### NiteRider Sport Dive Light

- Uses 5 "D" alkaline batteries or optional NiCad upgrade pack
- Single lamp head with 10 watt, 10" spot lamp

Order#: 6926


### Emergency Strobe

- USCG and SOLAS approved
- Batteries not included
- Uses one "D" cell alkaline battery
- 3 mile visibility depending on atmospheric conditions
- Waterproof to 12 feet
- Durable, strong ABS, enhanced water seal
- Lasts up to 30 hours
- Xenon gas bulb
- Stainless steel clip
- Magnetic slide switch
- Manufactured by Leland

Order#: 6325  
Order#: 6325A – Magnetic Base



Reva International products bear a name which has come to represent a true commitment to innovation and quality. By combining emerging technologies, world-class design, and quality-focused production, Reva International has established itself as one of the world's leading manufacturers of professional Search and Rescue lighting equipment.



Public Safety



#8640

### Reva Long Arm Flashlight – RI-2400

- Waterproof to 330 feet
- Illuminates targets over 1/2 mile away
- Penetrates smoke and fog 250% better than other lights
- Internal 4 amp hour nickel metal hydride battery (removable)
- Indestructible epoxy filled circuitry
- Shock resistant
- Waterproof carry case

Order#: 8640

Public Safety



#8641

### Reva Long Arm Flashlight – RI-1800

- 6,000,000 candle power
- 3.5 hours of run time
- Memory-free rechargeable battery
- Internal digital charger
- Truck mountable
- Shock resistant
- Weatherproof
- Lightweight
- Compact design

Order#: 8641

Public Safety



#8645

### Reva Visi-Flare Strobe

- Watertight up to 330 feet
- High visibility
- Replaceable parts
- High impact plastic
- 60-75 flashes per minute
- Lasts 16 hours with 2 "D" cells or 8 hours with 2 "C" cells
- Standard Reva amber lens

Order#: 8645



Public Safety



#8481

### Streamlight Stinger

- Rechargeable (charge time 12 - 14 hours)
- Fast charger (charge time 2 - 2 1/2 hours)
- Machine aluminum construction
- Unbreakable lens
- Spot-to-flood beam
- Safety rated
- Spare bulb
- Length: 7.4"
- Weight: 10 oz.
- Maximum run time: 1 hour

Order#: 8481

Public Safety



#8482

### Streamlight 2AA

- Alkaline battery
- Polymer construction
- Waterproof
- Unbreakable lens
- Safety rated
- Tailcap switch
- Dimension: 6" length, 1.3" diameter
- Weight: 3.7 oz.
- Maximum Run Time: 4 hours

Order#: 8482

Public Safety




#8483

### Streamlight Batonlite

- Alkaline battery
- Machine aluminum construction
- Unbreakable lens
- LED bulb
- Tailcap Switch
- Length: 5.5"
- Weight: 2.8 oz.
- Maximum Run Time: 12+ hours

Order#: 8483

Public Safety



#8480

### TACMIII Dive Light

- Waterproof (tested to 300 ft.)
- 105.5 Lumens of brightness
- Shock resistant
- 6 volt xenon lamp
- Lithium battery
- Turn/push switch
- Non-glare lens available
- Wrist strap available
- Dimension: 4.5" length, 1" diameter
- Weight: 3.9 oz.
- Run Time: 1 hour 20 minutes
- Made of Delrin polymer - virtually unbreakable

Order#: 8480

### TECH TIP


*Proper lighting maximizes your personal safety and effectiveness.*



### Dive Marker Buoy

- Built-in line reel with 150 ft. braided nylon line
- Accepts chemical lights
- Ratchet system prevents free spooling

Order#: 6228 – Flag not available at the time of printing



### RA Dive Reels

- Constructed of anodized aluminum and stainless steel
- Built-in friction control and reel lock
- 1/8" nylon cord

Order#: 6173 – 160' Cord  
Order#: 6174 – 300' Cord



### 105 Rescue Can

- Ideal for all open-water surface rescues
- Can is 28" long
- Supports 2 swimmers
- Large side and end handles
- 2" wide shoulder strap with polypropylene rope tether

Order#: 6352  
Order#: 6354 – Can Rack



### Searchline Bag

- With 200 ft. 1/4" braided polypropylene rope
- Floating searchline with minimal in-water drag
- Vinyl-coated nylon mesh bag allows rope to dry in bag
- Draw string closure with toggle on bag

Order#: 6082A  
Order#: 6082 – Searchline Bag Only  
Order#: 6100 – 1/4" Searchline Rope/ft.

### Searchline Float

- Keeps searchline floating above underwater obstacles
- 7-1/4" x 3"
- Bright orange
- Ensolite™ foam with wire attachment ring

Order#: 6226



### Pelican Float


- Deployable from surface or underwater
- Contains 100 ft. of 225 lbs. test poly line rope with 20 oz. weight

Order#: 6233

### Hand Bearing Compass

- For documenting last scene points and landmarks
- Graduated in 5" increments
- Built-in light for night operations

Order#: 6224



### 200 Rescue Can

- Ideal for all open-water surface rescues
- Can is 33" long
- Supports multiple victims and rescuer
- Large side and end handles
- 2" wide shoulder strap with polypropylene rope tether

Order#: 6353  
Order#: 6355 – Can Rack

### 350 Rescue Tube

- Ideal for pool and open-water swimming rescues
- Manufactured from vinyl-coated Ensolite™ foam
- Dimensions: 40" x 5-1/2" x 3"
- 2" wide shoulder strap with polypropylene rope tether
- Marine brass snaps

Order#: 6356



### EWA Radio Bags

- Waterproof, flexible housing
- Pressure tested to 100 ft.

Order#: 6765 – Up to 15"  
Order#: 6764 – Up to 18"



### Pelican Protector® Equipment Cases

- Watertight and airtight
- Constructed of light-weight resin with a neoprene O-ring seal
- Purge valve
- Pre-scored pick n' pluck foam (no cutting required) or padded dividers
- Locking flanges
- Multiple latches
- Personalized nameplate available for additional charge
- Custom colors and foam inserts available by special order
- Various sizes available

*Call for complete product specifications*

Order#: 8700



### Otter Boxes

- Watertight up to 100 feet
- Crush proof
- Lifetime guarantee
- Fiberglass reinforced ABS plastic
- Stainless steel hinge and latch pins
- Silicon O-ring
- Options include: colors, 1/2 clear tops or OEM custom foam inserts
- Various sizes available

*Call for complete product specifications*

Order#: 8705



### Myton Equipment Boxes

- Heavy duty plastic
- Security straps and lid
- Rope handles with plastic grip
- Stenciling
- Consecutive numbering available
- Length = 39"
- Height = 15"
- Width = 22"
- Meets shipping requirements for UPS and FedEx
- Other sizes available

Colors: blue, black, brown, gray, green, orange, red, white and yellow

Order#: 8710 Equipment Boxes



### Pelican Tank Racks

- 1/4" welded steel with polyester dipped coating
- Plastic tank bumpers
- Floor mounting brackets
- Dimensions:  
4 tank - (34-1/4" x 8-3/4" x 11")  
6 tank - (25-3/4" x 17-1/4" x 11")

Order#: 6239 - 4 Tank Rack  
Order#: 6240 - 6 Tank Rack



### Large Equipment Bag

- Manufactured with 11 oz. Cordura®
- 2 internal pockets
- Top of bag zips open
- Dimensions: 30" x 16" x 14"

Order#: 6087

### Equipment Duffel Bag

- Manufactured with nylon oxford cloth
- Full-length zipper
- Dimensions: 14" x 30"

Order#: 6088

### Mesh Equipment Bag

- Manufactured with 11 oz. Cordura®
- Mesh sides and bottom allow equipment to dry
- 2 internal pockets
- Top of bag zips open
- Dimensions: 30" x 16" x 14"

Order#: 6094



## Public Safety



#8620

## Underwater Ultrathermic Cutting System

- Cuts steel, cast iron and concrete
- Rods burn at over 10,000° F
- BR-22 cutting torch
- HVR-4400 oxygen regulator
- Knife switch

Order#: 8620

## Broco Underwater Accessories

Order#: 8621 – 18" x 3/8" Underwater Cutting Rods

Order#: 8622 – 18" x 1/4" Underwater Cutting Rods

Order#: 8623 – 1/4" Collett and Washer for use with 1/4" cutting rods (TA-22-14)

Order#: 8624 – 3/8" Collett and Washer for use with 3/8" cutting rods (TA-22-38)

## Public Safety



#8625

## Broco Prime Cut Tactical Cutting System

- Cuts steel and cast iron and melts concrete
- Uses RapidFire Cutting Rod Ignition Cartridges
- Lightweight
- One-man operation
- Capable of cutting 12 linear feet of 1" thick steel
- System includes: torch, cylinder, regulator, hoses, lightweight backpack harness, collets for 3/8" and 1/4" cutting rods and battery ignition components

Order#: 8625

## Broco Prime Cut Accessories

Order#: 8626 – 18" x 3/8" Prime Cut Cutting Rods

Order#: 8627 – 18" x 1/4" Prime Cut Cutting Rods

Order#: 8628 – 36" x 3/8" Prime Cut Cutting Rods

Order#: 8629 – RapidFire Igniters



Public Safety



#6422


### Black-Out Mask



- Fits standard scuba and full face masks
- Black nylon with elastic hem

Order#: 6422

Public Safety



#8476

### DiveOptix Magnifying Lens

- Can be removed and reinstalled
- Magnifications available from +1.00 to +3.00 Diopters in .25 Diopter increments

Order#: 8476

Public Safety



#6090

### Body-Recovery System



- Allows for underwater packaging of victim and related evidence
- Self-draining and durable
- Built-in lift system with 50-lbs. lift bag and bridle
- Storage bag

Order#: 6090

Public Safety




All Knives are Stainless Steel

Please note that knives are displayed in order of listing below - from left to right.

Order#	Brand Name	Type	Overall Length	Blade Length	Blade Design
6231	Wenoka Squeeze Lock	Dive/Rescue	6-3/4"	3"	Blunt tip serrated
6304 not shown	Wenoka EZ Lock	Dive/Rescue	8"	3 3/4"	Blunt tip, Serrated
6232	Spyderco Rescue Knife	Rescue	3-1/2" folded	3-1/2"	Serrated sheeps foot
6289	B/C Escape Knife	Rescue	6-3/4"	3"	Serrated sheeps foot
6290	Underwater Kinetics Fusiler	Dive/Rescue	7-3/4"	3-1/2"	Blunt tip, serrated and smooth edge, line cutter
6291	N/A Push Button	Dive	3-3/4"	4"	Blunt tip, serrated and smooth edge, line cutter
6292	Underwater Kinetics Bluetang	Dive	9-1/2"	4-1/2"	Blunt tip, serrated and smooth edge, line cutter
6294	N/A Cypress	Dive	9-1/4"	4-1/4"	Blunt tip, serrated and smooth edge, line cutter
6295	Kershaw Sea Hunter	Dive/Rescue	7-1/2"	3-1/2"	Serrated and smooth edge, line cutter
6297	Gerber Needle Nose	Multi-Tool	5" folded	6-1/2" extended	Various
6298	Gerber Standard	Multi-Tool	5" folded	6-1/2" extended	Various
6310	Hanson Webbing/Belt Cutter	Cutter	8"	1-1/2"	Razor
6299	Gerber River Shorty	Rescue	6-3/4"	3"	Blunt tip, serrated
6311	Dive Rite Z Knife	Cutter	3-1/4"	1/2"	Razor

Public Safety



#6308

#6309


### Training Mannequins



- Heavy weight nylon mesh
- Full-length Velcro™ closure
- Can be weighted and filled to provide realistic negative buoyancy

Order#: 6308 - Adult

Order#: 6309 - Child



**SA-300 PCW Rescue Litter**

- One-piece design
- Welded steel construction
- Plastisol coated for corrosion protection
- Dimensions: 80-1/2" x 22-1/2" x 8"
- Weight: 31 lbs.
- Load Capacity: 1,500 lbs.
- Four 60" straps

Order#: 6161

**JSA-303 Litter Flotation Collar**

- Fits both JSA-300 and 200 litters
- Dow EthaFoam® covered with bright orange nylon
- Secures to litter with hook and loop fasteners

Order#: 6189

**JSA-300X Lifting Bridle**

- Allows horizontal or vertical lifts
- 1" nylon webbing
- Forged snap hooks
- 3" inside diameter
- Forged steel suspension ring
- Lifting Capacity: 2,000 lbs.

Order#: 8462 (not shown)



**JSA-200 Rescue Litter**

- One-piece design
- Stainless steel outer rail
- Yellow high-density polyethylene shell
- Integrated nonabsorbent foam pad secured inside shell
- Four 60" straps
- Dimensions: 84-1/2" x 24" x 7-1/2"
- Weight: 31 lbs.
- Load Capacity: 1,200 lbs.

Order#: 8461



**6" Safety Lightsticks**

- Minimum 8-hour light output
- Built-in tether attachment point
- Excellent for night sonar operations
- Fits in shaft of Dive Marker Buoy (#6228)
- Manufactured by Cyalume®

Colors: blue, green, orange, red, white and yellow  
Order#: 8471



**6" High Intensity Lightsticks**

- 30-minute high-intensity light output
- Built-in tether attachment point
- Excellent for night sonar operations
- Fits in shaft of Dive Marker Buoy (#6228)
- Manufactured by Cyalume®

Colors : red, white and yellow  
Order#: 8472



**Personal Marker Light**

- 4-hour light output
- USCG and FAA certified
- Protected by hard case until activated
- Attaches to PFDs with SOLAS grade clip
- Manufactured by Cyalume®

Color: green  
Order#: 8473



**S.O.S. (Safety/Survival) Light**

- 8-hour ultra-high-intensity light output
- Designed for search and rescue operations on sea or land
- Attached 18" lanyard
- Visible up to 1 mile
- Manufactured by Cyalume®

Color: green  
Order#: 8474



**Safety Glow™ 10" Lightstick**

- Self-standing
- 2-hour light output
- Excellent for marking helicopter landing zones and traffic accidents
- Diffuser tube and wire tripod base
- Manufactured by Cyalume®

Colors: orange and yellow  
Order#: 8475