

PMI Classic Rescue Rope

- NFPA approved
- Available in MAX WEAR™ or EZ BEND™
- Size and Minimum Breaking Strength in pounds:

| | | |
|---------------|---|--------|
| 5/16" (8mm) | > | 4,350 |
| 3/8" (10mm) | > | 5,200 |
| 7/16" (11mm) | > | 6,050 |
| 1/2" (12.5mm) | > | 9,100 |
| 5/8" (16mm) | > | 12,980 |

- Order#: 6263 - 1/2" yellow/white
- Order#: 6264 - 1/2" orange/white
- Order#: 6265 - 1/2" blue/white
- Order#: 6266 - 1/2" white/orange
- Order#: 6267 - 1/2" black
- Order#: 6705 - 1/2" red/white
- Order#: 6269 - 5/8" white/orange
- Order#: 6270 - 5/8" yellow/white
- Order#: 6271 - 5/8" blue/white
- Order#: 6272 - 5/8" orange/white

Other size and color combinations available; call Dive Rescue International for more information



6mm PMI Multi-Cord

- Tensile strength 1,550 lbs.
 - 100% nylon accessory cord
- Color: black or multi-color
Order#: 1237

7mm PMI Multi-Cord

- Excellent for Prusik loops
- 100% nylon accessory cord
- Tensile strength 2,100 lbs.

Color: black or multi-color
Order#: 1238

8mm PMI Multi-Cord

- Excellent for Prusik loops
- Tensile strength 3,150 lbs.
- 100% nylon accessory cord

Color: black or multi-color
Order#: 1239



1-Inch Nylon Tubular Webbing

- Tensile strength 4,000 lbs.
- Spiral weave
- Meets military specifications
- NFPA approved

Colors: black, blue, dark green, fluorescent green, gold, orange and red
Order#: 6111 - specify color

TECH TIP

Frequent inspection and a regular replacement schedule should be part of your team's SOPs.



PMI Water Rescue Rope

- Continuous stranded polypropylene core provides flotation
- Reflective material in sheath increases visibility during night operations
- Size Minimum Breaking Strength in pounds:

| | | |
|---------------|---|-------|
| 1/4" (7mm) | > | 1,900 |
| 3/8" (10mm) | > | 3,600 |
| 1/2" (12.5mm) | > | 4,000 |

Order#: 6163 - 1/4 (7mm) *Ideal for throwline bags*
Order#: 6164 - 3/8" (10mm) *Preferred rope for rescue or boat tether*
Order#: 6165 - 1/2" (12.5 mm) *Rescue or boat tether*

Due to high stretch, lower tensile strength and low temperature resistance of polypropylene, PMI Water Rescue Rope should **NOT** be used for rappelling, high lines or any time a live load will be totally suspended by the rope!



Rope Rescue

Please specify when ordering if NFPA approved carabiners are desired.

Dive Rescue International carries a full line of carabiners for all your aquatic and high-angle rescue needs. Carabiners are available in aluminum, steel, heat-treated steel and stainless steel. Also available are UL-certified carabiners to meet NFPA 1983-95 standards. Carabiners are available in many colors and sizes from SMC and Petzl. Contact our Equipment Sales Department for assistance.

| Order# | Type | Material | Minimum Breaking Strength - lbs. | Gate Opening - in. | Color | NFPA Approved | Available Manufacturer |
|--------|------------------------|-----------------------|----------------------------------|--------------------|--------|---------------|------------------------|
| 6138 | Locking D | Aluminum | 6,190 | 0.82 | Silver | Yes | SMC |
| 6143 | Locking D | Aluminum | 6,190 | 0.82 | Black | Yes | SMC |
| 8241 | Locking D | Aluminum | 6,190 | 0.82 | Purple | No | SMC |
| 8242 | Locking D | Aluminum | 6,190 | 0.82 | Orange | No | SMC |
| 8244 | Locking D | Aluminum | 6,190 | 0.82 | Red | Yes | SMC |
| 6137 | Light D, Non-Locking | Aluminum | 4,540 | 0.74 | Silver | No | SMC |
| 6142 | Light D, Non-Locking | Aluminum | 4,450 | 0.74 | Black | No | SMC |
| 6153 | Large Locking D | Aluminum | 8,036 | 1.2 | Silver | No | SMC |
| 6139 | Large Locking D | Aluminum | 8,036 | 1.2 | Black | No | SMC |
| 6190 | Large Locking D | Steel | 11,590 | 1.2 | Silver | Yes | SMC |
| 8525 | Large Locking D | Steel | 11,590 | 1.2 | Black | Yes | SMC |
| 6191 | Large Locking D | Heat-Treated Steel | 15,650 | 1.2 | Silver | No | SMC |
| 8526 | Large Locking D | Stainless Steel | 11,590 | 1.2 | Silver | No | SMC |
| 6193 | X-Large Locking D | NFPA Steel | 13,700 | 1.45 | Silver | Yes | SMC |
| 8521 | Locking D | Light Stainless Steel | 8,946 | 0.94 | Silver | No | SMC |
| 8523 | Locking D | NFPA Lite Steel | 10,050 | 1.2 | Silver | Yes | SMC |
| 8524 | Locking D | NFPA Lite Steel | 10,050 | 1.2 | Black | Yes | SMC |
| 8250 | Triangular Screw Link | Steel | 9,900 | 0.5 | Silver | No | Petzl |
| 8251 | Triangular Screw Link | Alloy | 3,850 | 0.5 | Silver | No | Petzl |
| 6710 | Half Circle Screw Link | Alloy | 4,400 | 0.5 | Silver | No | Petzl |
| 6197 | 7mm Oval Screw Link | Steel | 5,500 | 0.62 | Silver | No | Petzl |

Rope Rescue

#6424

Carabiner Daisy Chain

- Stores up to 14 carabiners
- Sewn with 1" flat nylon webbing

Order#: 6424



Rope Rescue




Pulleys are used for change of direction, mechanical advantage, movable control points and more. Dive Rescue International carries a wide selection of pulleys for all technical applications. Pulleys are available with oilite bronze and ball bearings; aluminum and stainless steel side plates; single and double sheaves and 2", 3" and 4" pulley sheaves. Specialty pulleys such as "Prusik Minding Pulleys" for ropes up to 5/8" in diameter are available. Other pulleys are designed for high line movable control points and their knot-passing ability. UL-certified stainless steel pulleys are available to meet NFPA 1983-95 standards.

| Order# | Material/Bearing | Minimum Breaking Strength - lbs. | Sheave Diameter and Rope Size - in. | Use | NFPA Approved | Manufacturer |
|--------|-------------------------|----------------------------------|-------------------------------------|---------------------------------|---------------|----------------------|
| 6140 | Aluminum/Ball | 9,000 | 3 - 5/8 | Highline, Knot Passing | No | Petzl-Kootenay |
| 6122 | Aluminum/Sealed Ball | 8,000 | 2 - 1/2 | Manage Prusik Knots | No | Petzl Prusik Minding |
| 6135 | Aluminum/Bronze | 2,000 | 4 - 1/2 | Knot Passing | No | RA/SMC |
| 6170 | Stainless/Bronze | 7,600 | 2 - 1/2 | Mechanical Advantage, Direction | No | RA/SMC |
| 8305 | Stainless/Ball | 7,600 | 2 - 1/2 | Mechanical Advantage, Direction | No | RA/SMC |
| 8306 | Stainless/Bronze | 7,400 | 3 - 5/8 | Mechanical Advantage, Direction | No | RA/SMC |
| 8307 | Stainless/Bronze | 11,400 | 4 - 5/8 | Mechanical Advantage, Direction | No | RA/SMC |
| 8308 | Stainless/Ball | 11,400 | 4 - 5/8 | Mechanical Advantage, Direction | No | RA/SMC |
| 8527 | Stainless/Ball | 11,400 | 4 - 5/8 | Mechanical Advantage, Direction | Yes | RA/SMC |
| 8309 | Double/Stainless/Bronze | 10,400 | 2 - 1/2 | Mechanical Advantage, Direction | No | RA/SMC |
| 8311 | Double/Stainless/Bronze | 16,250 | 4 - 5/8 | Mechanical Advantage, Direction | No | RA/SMC |
| 6171 | Stainless/Bronze | 16,000 | 3 - 5/8 | Mechanical Advantage, Direction | No | CMI |
| 8318 | Aluminum/Ball | 8,500 | 3 - 1/2 | Prusik Minding Pulley | Yes | SMC |



| Order# | Type | Size/ Material | Minimum Breaking Strength - lbs. | NFPA Approved | Manufacturer |
|--------|----------------|----------------|----------------------------------|---------------|---------------|
| 6124 | Rigging Plate | 3/8" Aluminum | 10,000 | Yes | Petzl |
| 6132 | Rigging Plate | 1/2" Aluminum | 9,000 | Yes | Petzl |
| 6162 | 3" O-Ring | 9/16" Steel | 40,000 | No | CMC |
| 6141 | 3" O-Ring | 1/2" Steel | 30,000 | No | PMI |
| 8316 | 4" Edge Roller | Aluminum | N/A | No | Russ Anderson |
| 6101 | Rigging Plate | Aluminum | N/A | Yes | SMC |



Whip-End Dip

- Whips the end of rope and webbing
- Color codes ropes and webbing
- 4 oz.

Colors: clear, red and white
Order#: 6245

SMC Rope Washer

- Water jets clean rope
- Attaches to hose or water spigot

Order#: 6248 – SMC Rope Washer for rope up to 1/2"
Order#: 6249 – SMC Rope Washer for rope up to 3/4"

Rope ID Markers


- Marks all types of rope
- Self-laminating
- 3/4" x 1" white writing area
- 60 markers

Order#: 6160

Rope Protection Pad

- 10 oz. canvas duck material
- No metal parts
- Webbing loops on ends for securing to anchor
- Dimensions: 4-1/2" x 34"

Order#: 6166



| Order# | Type | Material/Rope Size - inches | Minimum Breaking Strength - lbs. | NFPA Approved | Manufacture |
|--------|-----------------------|-----------------------------|----------------------------------|---------------|---------------------|
| 6125 | Standard 8 | Forged Aluminum - 1/2 | 8,000 | No | CMI |
| 6126 | Rescue 8/Ears | Forged Aluminum - 5/8 | 10,000 | No | CMI |
| 8171 | Regular Rescue 8/Ears | Aluminum - 1/2 | 9,000 | Yes | RA/SMC |
| 8173 | Large Rescue 8/Ears | Aluminum - 5/8 | 9,000 | No | RA/SMC |
| 8152 | Large Rescue 8/Ears | Steel - 5/8 | 45,000 | Yes | CMC |
| 6127 | 6-Bar Brake Rack Kit | Aluminum/ Stainless - 5/8 | 10,000 | No | SMC |
| 8589 | Brake Tube | Aluminum/ Stainless - 1/2 | 10,000 | Yes | Rock Exotica/ Petzl |
| 8321 | Swivel | N/A | 8,000 | Yes | Petzl |



Rope Rescue



Ascenders

| Order# | Material/Rope Size - in inches | Minimum Breaking Strength - lbs. | NFPA Approved | Manufacturer - Type |
|--------|--------------------------------|----------------------------------|---------------|------------------------|
| 6130 | Aluminum - 1/2 | 5,000 | No | CMI Ultra - Right |
| 6130A | Aluminum - 1/2 | 5,000 | No | CMI Ultra - Left |
| 6129 | Aluminum - 1/2 | 4,000 | No | CMI Ultra - Small |
| 8205 | Aluminum - 1/2 | 4,490 | No | Petzl Expedition-Right |
| 8206 | Aluminum - 1/2 | 4,490 | No | Petzl Expedition-Left |
| 6128 | Aluminum - 1/2 | 5,000 | No | Gibbs 1/2" Rescue |
| 6136 | Aluminum - 3/4 | 5,650 | No | Gibbs 3/4" Rescue |
| 8201 | Aluminum - 1/2 | 6,000 | No | Petzl Rescucender |
| 8202 | Aluminum - 1/2 | 6,000 | No | Petzl Macrocenter |

Rope Rescue




#6285, 8117, 6281

PMI Rope Rescue Gloves

- Goatskin and cowhide leather
- Two extra layers of leather across palms

Sizes: XS > XXL
 Order#: 6281 - Lightweight/White
 Order#: 6285 - Heavyweight/Black
 Order#: 8117 - Heavyweight/Rust

Rope Rescue



#6302/03

Anchor Straps

- Sewn heavy duty 1" nylon slings
- For rope rescue anchors
- 6,200 lbs. vertical lift
- 2,400 lbs. choker lift
- 3,200 lbs. basket lift

Order#: 6302 - 1" x 36"
 Order#: 6303 - 1" x 60"

Rope Rescue



#6156

Robertson Guide Climbing Harness

- 1-3/4" 6,500 lbs. test webbing
- Adjustable waist belt and leg loops
- One size fits waist size 28" - 48"

Order#: 6156

Robertson ProRescue Sit Harness

- 1-3/4" 6,500 lbs. test webbing
- Sewn with 5 nylon cord thread
- Conforms with ANSI, OSHA and NFPA structural standards as Class II
- One size fits waist 28" - 48"

Order#: 6167 (not shown)

Rope Rescue



#8000

Rope Rescue Equipment Backpack

- Detachable pockets
- Padded shoulder straps
- 28"L x 16"W x 6"H
- Manufactured by Custom Tactical

Colors: black
 Order#: 8000



Rope Rescue

#6155/68

Robertson Full-Body and Quick-Adjust Full-Body Harness

- 2" nylon seat belt webbing
- Sewn with 5 nylon cord thread
- Conforms with ANSI and OSHA standards as Class III
- One size fits waists 28" – 48"

Order#: 6155 – Full Body
Order#: 6168 – Quick-Adjust

TECH TIP

Rope bags provide proper storage and protection.



Rope Rescue

#6089/91/86

Double-End Rope Bags

- Built from vinyl-coated nylon and nylon mesh
- Nylon thread
- Mesh sections allow wet ropes to dry in bag
- Nylon storm collar and draw cords at both ends
- Carrying handle/hardware attachment strap

Order#: 6089 – Small (17" x 11")
Holds up to 150 ft. of 3/8" rescue rope

Order#: 6091 – Medium (22" x 13")
Holds up to 250 ft. of 3/8" rescue rope

Order#: 6086 – Large (25" x 17")
Holds up to 300 ft. of 1/2" rescue rope



Rope Rescue

#6085

Barrel Bag

- Built from vinyl-coated nylon and nylon mesh
- Nylon thread
- Mesh sections allow wet ropes to dry in bag
- Nylon storm collar and draw cords at top of bag
- Carrying handle/shoulder strap
- Capacity: 300 ft. of 5/8" rescue rope
- Dimensions: 18" x 41"

Order#: 6085



Rope Rescue

| Order # | Capacity length x diameter | Padded Strap | Dimension | Size |
|---------|----------------------------|--------------|-----------|----------|
| 6358 | 150 ft. x 1/2" | No | 14" x 11" | Small |
| 6360 | 230 ft. x 1/2" | No | 20" x 11" | Standard |
| 8125 | 330 ft. x 1/2" | No | 25" x 11" | Large |
| 8127 | 330 ft. x 1/2" | Yes | 25" x 11" | Large |
| 8129 | 600 ft. x 1/2" | Yes | 25" x 16" | X-Large |
| 6357* | 50 ft. x 3/8" | No | 6" x 9" | Personal |

*Manufactured by CMC and only available in black, red, yellow, and orange

PMI Rope Packs and Bags

- Coated 1000 denier nylon Cordura® material
- All seams double stitched
- Draw cord closures
- 2" seat belt webbing handles
- Window to display equipment list or rope usage history cards
- All models except #6357 have 5/8" grommet in the bottom

Colors: black, blue, orange and red